

## Appendix 4

### Data from Post-Communication Decision Rounds

TREAT1	PERIOD	7	8	9	10
CI/SE/SP	TREAT1	PG60413A		SCODE	
		-1		03	
ACTUAL	SUB030	13.00	12.00	12.00	11.00
	SUB031	14.00	16.00	6.00	12.00
	SUB032	14.00	14.00	14.00	14.00
		41	42	32	37
PROPOSED	SUB030	14	14	14	14
	SUB031	14	14	14	14
	SUB032	14	14	14	14
		AGREED			
		38.00		4.5	

The example above shows actual and proposed contribution data for Treatment 1 in periods 7 through 10 for each of the three subjects in session PG 60413 A-1. The total group contribution in each period is recorded below the individual contributions for each period. Also included is an indication of whether the proposed contributions were focal or agreement outcomes. The two numbers below “AGREED” are the mean group contribution for the phase and the cooperation index for the phase.

TREAT1	PERIOD	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
CI/SE/SP	TREAT1	PG60413A		SCODE													
		-1		03													
ACTUAL	SUB030	13.00	12.00	12.00	11.00	12.00	12.00	13.00	12.00	10.00	9.00	8.00	8.00	14.00	14.00	0.00	0.00
	SUB031	14.00	16.00	6.00	12.00	14.00	14.00	13.00	13.00	7.00	9.00	8.00	13.00	14.00	14.00	14.00	0.00
	SUB032	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	10.00	14.00	14.00	0.00	14.00	14.00	14.00	0.00
		41	42	32	37	40	40	40	39	27	32	30	21	42	42	28	0
PROPOSED	SUB030	14	14	14	14	14	14	14	14	14	14	14	14	>14	>14	>14	>14
	SUB031	14	14	14	14	14	14	14	14	14	14	14	14	>14	>14	>14	>14
	SUB032	14	14	14	14	14	14	14	14	14	14	14	14	>14	>14	>14	>14
		AGREED				AGREED				FOCAL				FOCAL: AT LEAST			
		38.00		4.5		39.75		2.25		27.50		14.5		28.00		14	
CI/SE/SP	TREAT1	PG60417		SCODE													
		B-2		06													
ACTUAL	SUB063	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00
	SUB064	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00
	SUB065	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00
		45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45
PROPOSED	SUB063	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00
	SUB064	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00
	SUB065	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00
		AGREED				AGREED				AGREED				AGREED			
		45.00		0.00		45.00		0		45.00		0		45.00		0	
CI/SE/SP	TREAT1	PG60418		SCODE													
		A-1		07													
ACTUAL	SUB070	7.00	5.00	7.00	5.00	10.00	2.00	3.00	6.00	0.00	20.00	20.00	10.00	13.00	1.00	2.00	3.00
	SUB071	20.00	10.00	12.00	10.00	10.00	11.00	0.00	12.00	20.00	0.00	20.00	20.00	15.00	15.00	10.00	8.00
	SUB072	1.00	0.00	2.00	1.00	8.00	7.00	4.00	9.00	20.00	20.00	0.00	0.00	16.00	15.00	14.00	16.00
		28	15	21	16	28	20	7	27	40	40	40	30	44	31	26	27
PROPOSED	SUB070					10	10	10	10	0	20	20		15	15	15	15
	SUB071					10	10	10	10	20	0	20		15	15	15	15
	SUB072					10	10	10	10	20	20	0		15	15	15	15
		NO AGREEMENT				AGREED				AGREED: ROTATE (NEG)				AGREED			
		20.00				20.50		10.25		37.50		0		32.00		13.25	

TREAT2	PERIOD	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
II/SE/SP	TREAT2	PG60411A		SCODE													
		-1		01													
ACTUAL	SUB010	10.00	9.00	10.00	7.00	9.00	8.00	7.00	6.00	9.00	9.00	9.00	7.00	9.00	7.00	8.00	5.00
	SUB011	10.00	11.00	10.00	10.00	9.00	8.00	10.00	7.00	10.00	10.00	9.00	10.00	6.00	10.00	9.00	9.00
	SUB012	11.00	11.00	10.00	10.00	8.00	9.00	8.00	8.00	10.00	10.00	9.00	9.00	10.00	9.00	9.00	7.00
		31	31	30	27	26	25	25	21	29	29	27	26	25	26	26	21
PROPOSED	SUB010	10-12	10-12	10-12	10-12	10-12	10-12	10-12	10-12	9-11	9-11	9-11	9-11	9-11	9-11	9-11	9-11
	SUB011	10-12	10-12	10-12	10-12	10-12	10-12	10-12	10-12	9-11	9-11	9-11	9-11	9-11	9-11	9-11	9-11
	SUB012	10-12	10-12	10-12	10-12	10-12	10-12	10-12	10-12	9-11	9-11	9-11	9-11	9-11	9-11	9-11	9-11
		AGREED:RANGE				AGREED:RANGE				AGREED: RANGE				AGREED: RANGE			
		29.75		1		24.25		5.75		27.75		0.5		24.50		2.5	
II/SE/SP	TREAT2	PG60411A		SCODE													
		-2		01													
ACTUAL	SUB013	8.00	7.00	7.00	10.00	9.00	10.00	10.00	7.00	10.00	10.00	9.00	10.00	10.00	10.00	10.00	7.00
	SUB014	8.00	13.00	2.00	18.00	9.00	11.00	7.00	10.00	9.00	7.00	6.00	8.00	10.00	5.00	7.00	5.00
	SUB015	8.00	6.00	8.00	7.00	8.00	7.00	7.00	7.00	7.00	7.00	6.00	6.00	7.00	7.00	7.00	7.00
		24	26	17	35	26	28	24	24	26	24	21	24	27	22	24	19
PROPOSED	SUB013	7	7	7	7	11	11	11	11	8	8	8	8	>10	>10	>10	>10
	SUB014	7	7	7	7	19	19	19	19	11	11	11	11	>8	>8	>8	>8
	SUB015	7	7	7	7	8	8	8	8	8	8	8	8	>6	>6	>6	>6
		AGREED				AGREED:UNEQUAL				AGREED:UNEQUAL				AGREED:UNEQUAL;AT LEAST			
		25.50		1.5		25.50		12.5		23.75		5		23.00		2.5	
II/SE/SP	TREAT2	PG60417		SCODE													
		B-1		06													
ACTUAL	SUB060	9.00	9.00	9.00	9.00	8.00	8.00	8.00	8.00	9.00	9.00	9.00	9.00	9.00	9.00	9.00	9.00
	SUB061	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00
	SUB062	9.00	9.00	9.00	9.00	8.00	8.00	8.00	8.00	9.00	9.00	9.00	9.00	9.00	9.00	9.00	9.00
		26	26	26	26	24	24	24	24	26	26	26	26	26	26	26	26
PROPOSED	SUB060	9	9	9	9	8	8	8	8	9	9	9	9	9	9	9	9
	SUB061	9	9	9	9	8	8	8	8	8	8	8	8	8	8	8	8
	SUB062	9	9	9	9	8	8	8	8	9	9	9	9	9	9	9	9
		AGREED				AGREED				AGREED:UNEQUAL				AGREED:UNEQUAL			
		26.00		1		24.00		0		26.00		0		26.00		0	

TREAT3	PERIOD	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
CI/SE/DP	TREAT3	PG60411B		SCODE													
		-2		02													
ACTUAL	SUB023	7.00	7.00	7.00	7.00	6.00	6.00	6.00	6.00	0.00	20.00	20.00	5.00	0.00	20.00	20.00	13.00
	SUB024	8.00	7.00	7.00	9.00	8.00	7.00	7.00	7.00	20.00	0.00	20.00	7.00	20.00	0.00	20.00	13.00
	SUB025	9.00	11.00	7.00	9.00	9.00	8.00	12.00	11.00	20.00	20.00	0.00	15.00	20.00	20.00	0.00	13.00
		24	25	21	25	23	21	25	24	40	40	40	27	40	40	40	39
PROPOSED	SUB023	8-10	8-10	8-10	8-10	8-10	8-10	8-10	8-10	0	20	20		0	20	20	13
	SUB024	8-10	8-10	8-10	8-10	8-10	8-10	8-10	8-10	20	0	20		20	0	20	13
	SUB025	8-10	8-10	8-10	8-10	8-10	8-10	8-10	8-10	20	20	0		20	20	0	13
		AGREED:RANGE				AGREED:RANGE				AGREED:ROTATE(NEG)				AGREED:ROTATE(EG)			
		23.75		1.50		23.25		2.75		36.75		0		39.75		0	
CI/SE/DP	TREAT3	PG60420A		SCODE													
		-1		10													
ACTUAL	SUB100	10.00	10.00	10.00	10.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	12.00	12.00
	SUB101	10.00	10.00	10.00	10.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00
	SUB102	18.00	18.00	18.00	18.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
		38	38	38	38	42	42	42	42	42	42	42	42	43	43	43	43
PROPOSED	SUB100	10	10	10	10	11	11	11	11	11	11	11	11	11	11	12	12
	SUB101	10	10	10	10	11	11	11	11	11	11	11	11	12	12	11	11
	SUB102	18.00	18.00	18.00	18.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
		AGREED:SPLIT				AGREED:SPLIT				AGREED:SPLIT				AGREED:SPLIT			
		38.00		0.00		42.00		0		42.00		0		43.00		0	
CI/SE/DP	TREAT3	PG60425A		SCODE													
		-1		14													
ACTUAL	SUB140	0.00	20.00	20.00	0.00	11.00	11.00	11.00	11.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	SUB141	20.00	0.00	20.00	20.00	11.00	11.00	11.00	11.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	SUB142	20.00	20.00	0.00	8.00	11.00	11.00	11.00	11.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00
		40	40	40	28	33	33	33	33	42	42	42	42	42	42	42	42
PROPOSED	SUB140	0.00	20.00	20.00		11.00	11.00	11.00	11.00	13	13	13	13	13	13	13	13
	SUB141	20.00	0.00	20.00		11.00	11.00	11.00	11.00	13	13	13	13	13	13	13	13
	SUB142	20.00	20.00	0.00		11.00	11.00	11.00	11.00	16	16	16	16	16	16	16	16
		AGREED:ROTATE (NEG)				AGREED				AGREED:SPLIT				AGREED:SPLIT			
		37.00		0		33.00		0		42.00		0		42.00		0	

TREAT4	PERIOD	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
II/SE/DP	TREAT4	PG60411B		SCODE													
		-1		02													
ACTUAL	SUB020	8.00	7.00	8.00	8.00	10.00	11.00	10.00	10.00	13.00	15.00	13.00	14.00	12.00	11.00	9.00	0.00
	SUB021	7.00	7.00	7.00	7.00	12.00	12.00	10.00	10.00	13.00	13.00	13.00	13.00	13.00	0.00	8.00	0.00
	SUB022	9.00	9.00	10.00	8.00	10.00	10.00	10.00	10.00	13.00	13.00	14.00	13.00	12.00	12.00	10.00	8.00
		24	23	25	23	32	33	30	30	39	41	40	40	37	23	27	8
PROPOSED	SUB020	>7	>7	>7	>7	10-12	10-12	10-12	10-12	13-15	13-15	13-15	13-15	>12	>12	>12	>12
	SUB021	>7	>7	>7	>7	10-12	10-12	10-12	10-12	13-15	13-15	13-15	13-15	>12	>12	>12	>12
	SUB022	>7	>7	>7	>7	10-12	10-12	10-12	10-12	13-15	13-15	13-15	13-15	>12	>12	>12	>12
		AGREED:AT LEAST				AGREED:RANGE				AGREED:RANGE				FOCAL:AT LEAST			
		23.75				0				31.25				0			
										40.00				0			
														23.75			
														12.5			
II/SE/DP	TREAT4	PG60419A		SCODE													
		-1		09													
ACTUAL	SUB090	6.00	6.00	6.00	6.00	6.00	5.00	7.00	6.00	10.00	9.00	9.00	7.00	10.00	9.00	9.00	7.00
	SUB091	8.00	4.00	3.00	5.00	6.00	6.00	7.00	6.00	14.00	14.00	17.00	13.00	14.00	13.00	13.00	11.00
	SUB092	11.00	11.00	9.00	9.00	9.00	8.00	8.00	8.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00
		25	21	18	20	21	19	22	20	40	39	42	36	40	38	38	34
PROPOSED	SUB090	20	20	20	20	7	7	7	7	14	14	14	14	10	10	10	10
	SUB091	20	20	20	20	7	7	7	7	14	14	14	14	14	14	14	14
	SUB092	20	20	20	20	7	7	7	7	14	14	14	14	16	16	16	16
		AGREED				FOCAL				FOCAL				AGREED:UNEQUAL			
		21.00				39				20.50				1.75			
										39.25				5.5			
														37.50			
														2.5			
II/SE/DP	TREAT4	PG60420		SCODE													
		A-2		10													
ACTUAL	SUB103	19.00	19.00	19.00	19.00	19.00	19.00	20.00	20.00	0.00	0.00	0.00	0.00	20.00	20.00	0.00	9.00
	SUB104	19.00	19.00	19.00	19.00	1.00	1.00	1.00	1.00	19.00	19.00	19.00	19.00	20.00	0.00	20.00	9.00
	SUB105	0.00	0.00	0.00	0.00	19.00	19.00	19.00	19.00	19.00	19.00	19.00	19.00	0.00	20.00	20.00	9.00
		38	38	38	38	39	39	40	40	38	38	38	38	40	40	40	27
PROPOSED	SUB103	19	19	19	19	19	19	19	19	0	0	0	0	20	20	0	9
	SUB104	19.00	19.00	19.00	19.00	0.00	0.00	0.00	0.00	19	19	19	19	20	0	20	9
	SUB105	0.00	0.00	0.00	0.00	19.00	19.00	19.00	19.00	19	19	19	19	0	20	20	9
		AGREED:ROTATE (OPEG)				AGREED:ROTATE (OPEG)				AGREED:ROTATE(OPEG)				AGREED:ROTATE(OPEG)			

TREAT5	PERIOD	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
		38.00		0.00		39.50		0		38.00		0		36.75		0	
CI/DE/SP	TREAT5	PG60417		SCODE													
		A-1		05													
ACTUAL	SUB050	12.00	9.00	10.00	7.00	13.00	10.00	8.00	7.00	13.00	12.00	12.00	11.00	13.00	10.00	11.00	6.00
	SUB051	13.00	13.00	3.00	7.00	13.00	13.00	3.00	8.00	13.00	13.00	13.00	0.00	13.00	13.00	0.00	8.00
	SUB052	9.00	10.00	8.00	1.00	13.00	10.00	12.00	9.00	13.00	13.00	12.00	13.00	13.00	13.00	13.00	6.00
		34	32	21	15	39	33	23	24	39	38	37	24	39	36	24	20
PROPOSED	SUB050	12	12	12	12	13	13	13	13	13	13	13	13	13	13	13	13
	SUB051	12	12	12	12	13	13	13	13	13	13	13	13	13	13	13	13
	SUB052	12	12	12	12	13	13	13	13	13	13	13	13	13	13	13	13
		FOCAL				AGREED				FOCAL				FOCAL			
		25.50		11.00		29.75		9.25		34.50		4.5		29.75		9.25	
CI/DE/SP	TREAT5	PG60418		SCODE													
		B-2		08													
ACTUAL	SUB083	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	18.00	18.00	0.00	13.00
	SUB084	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	18.00	0.00	18.00	13.00
	SUB085	13.00	13.00	13.00	13.00	18.00	18.00	18.00	18.00	19.00	19.00	19.00	19.00	0.00	24.00	24.00	19.00
		39	39	39	39	44	44	44	44	45	45	45	45	36	42	42	45
PROPOSED	SUB083	13	13	13	13	13	13	13	13	13	13	13	13	18.00	18.00	0.00	13.00
	SUB084	13	13	13	13	13	13	13	13	13	13	13	13	18.00	0.00	18.00	13.00
	SUB085	13	13	13	13	18	18	18	18	18	18	18	18	0.00	24.00	24.00	19.00
		AGREED				FOCAL:SPLIT				AGREED:SPLIT				AGREED:ROTATE(EG)			
		39.00		0		44.00		0		45.00		0		41.25		0	
CI/DE/SP	TREAT5	PG60424		SCODE													
		A-2		13													
ACTUAL	SUB133	9.00	5.00	10.00	7.00	13.00	6.00	6.00	8.00	13.00	6.00	6.00	6.00	18.00	18.00	0.00	13.00
	SUB134	9.00	7.00	2.00	6.00	13.00	12.00	10.00	6.00	13.00	13.00	12.00	12.00	18.00	0.00	18.00	13.00
	SUB135	12.00	10.00	0.00	10.00	19.00	19.00	5.00	9.00	19.00	19.00	19.00	8.00	0.00	24.00	24.00	19.00
		30	22	12	23	45	37	21	23	45	38	37	26	36	42	42	45
PROPOSED	SUB133	9.00	9.00	9.00	9.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	18.00	18.00	0.00	13.00
	SUB134	9.00	9.00	9.00	9.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	18.00	0.00	18.00	13.00
	SUB135	12.00	12.00	12.00	12.00	19.00	19.00	19.00	19.00	19.00	19.00	19.00	19.00	0.00	24.00	24.00	19.00
		AGREED:SPLIT				AGREED:SPLIT				AGREED:SPLIT				AGREED:ROTATE(EG)			

TREAT6	PERIOD	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
		21.75		8.50		31.50		13.5		36.50		8.5		41.25		0	
II/DE/SP	TREAT6	PG60424		SCODE													
		A-1		13													
ACTUAL	SUB130	12.00	12.00	12.00	12.00	0.00	18.00	18.00	13.00	14.00	14.00	13.00	14.00	13.00	13.00	13.00	13.00
	SUB131	12.00	12.00	12.00	12.00	18.00	0.00	18.00	13.00	13.00	13.00	11.00	10.00	13.00	13.00	13.00	13.00
	SUB132	12.00	12.00	12.00	12.00	24.00	24.00	0.00	13.00	14.00	14.00	14.00	14.00	13.00	13.00	13.00	13.00
		36	36	36	36	42	42	36	39	41	41	38	38	39	39	39	39
PROPOSED	SUB130	12	12	12	12	0.00	18.00	18.00	13.00	14	14	14	14	13	13	13	13
	SUB131	12	12	12	12	18.00	0.00	18.00	13.00	14	14	14	14	13	13	13	13
	SUB132	12	12	12	12	24.00	24.00	0.00	13.00	14	14	14	14	13	13	13	13
		AGREED				AGREED:ROTATE (EG)				AGREED				AGREED			
		36.00		0		39.75		0		39.50		2		39.00		0	
II/DE/SP	TREAT6	PG60418		SCODE													
		B-1		08													
ACTUAL	SUB080	10.00	18.00	4.00	12.00	12.00	10.00	10.00	12.00	10.00	12.00	11.00	12.00	18.00	18.00	0.00	5.00
	SUB081	10.00	8.00	10.00	8.00	9.00	10.00	12.00	10.00	8.00	10.00	14.00	11.00	18.00	0.00	18.00	4.00
	SUB082	11.00	13.00	13.00	11.00	12.00	14.00	13.00	13.00	13.00	12.00	12.00	12.00	0.00	12.00	11.00	13.00
		31	39	27	31	33	34	35	35	31	34	37	35	36	30	29	22
PROPOSED	SUB080	>10	>10	>10	>10	10-14	10-14	10-14	10-14	10-14	10-14	10-14	10-14	18.00	18.00	0.00	10-14
	SUB081	>10	>10	>10	>10	10-14	10-14	10-14	10-14	10-14	10-14	10-14	10-14	18.00	0.00	18.00	10-14
	SUB082	>10	>10	>10	>10	10-14	10-14	10-14	10-14	10-14	10-14	10-14	10-14	0.00	24.00	24.00	10-14
		AGREED:AT LEAST				AGREED:RANGE				AGREED:RANGE				AGREED:ROTATE(EG)			
		32.00		2.50		34.25		0.25		34.25		0.5		29.25		9	
II/DE/SP	TREAT6	pg60417A-		SCODE													
		2		05													
ACTUAL	SUB053	8.00	4.00	9.00	6.00	18.00	18.00	0.00	15.00	14.00	14.00	14.00	13.00	14.00	14.00	13.00	14.00
	SUB054	7.00	7.00	7.00	7.00	18.00	0.00	18.00	9.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00
	SUB055	7.00	6.00	9.00	4.00	0.00	18.00	18.00	16.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	0.00
		22	17	25	17	36	36	36	40	42	42	42	41	42	42	41	28
PROPOSED	SUB053					18.00	18.00	0.00		14	14	14	14	14	14	14	14
	SUB054					18.00	0.00	18.00		14	14	14	14	14	14	14	14
	SUB055					0.00	18.00	18.00		14	14	14	14	14	14	14	14

		NO AGREEMENT				AGREED: ROTATE (NEG) *				AGREED				AGREED			
		20.25				37.00		0		41.75		0.25		38.25		4.75	
TREAT7	PERIOD	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
CI/DE/DP	TREAT7	PG60413		SCODE													
		B-1		04													
ACTUAL	SUB040	14.00	14.00	13.00	12.00	13.00	14.00	12.00	12.00	14.00	14.00	14.00	13.00	5.00	5.00	7.00	5.00
	SUB041	14.00	14.00	12.00	11.00	13.00	0.00	2.00	0.00	1.00	14.00	13.00	12.00	7.00	14.00	2.00	0.00
	SUB042	14.00	14.00	14.00	10.00	14.00	13.00	10.00	12.00	14.00	12.00	14.00	14.00	14.00	14.00	10.00	14.00
		42	42	39	33	40	27	24	24	29	40	41	39	26	33	19	19
PROPOSED	SUB040					14	14	14	14	14	14	14	14	14	14	14	14
	SUB041					14	14	14	14	14	14	14	14	14	14	14	14
	SUB042					14	14	14	14	14	14	14	14	14	14	14	14
		NO AGREEMENT				AGREED				AGREED				AGREED			
		39.00				28.75		13		37.25		4.75		24.25		17.75	
CI/DE/DP	TREAT7	PG60420		SCODE													
		B-1		11													
ACTUAL	SUB110	18.00	15.00	10.00	7.00	18.00	18.00	18.00	1.00	0.00	18.00	18.00	6.00	6.00	6.00	6.00	6.00
	SUB111	18.00	15.00	10.00	7.00	18.00	0.00	18.00	1.00	18.00	0.00	18.00	6.00	6.00	6.00	6.00	6.00
	SUB112	18.00	15.00	10.00	7.00	24.00	24.00	0.00	12.00	24.00	24.00	0.00	22.00	22.00	22.00	22.00	22.00
		54	45	30	21	60	42	36	14	42	42	36	34	34	34	34	34
PROPOSED	SUB110	18.00	15.00	10.00	7.00	0	18	18		0.00	18.00	18.00	6.00	6.00	6.00	6.00	6.00
	SUB111	18.00	15.00	10.00	7.00	18	0	18		18.00	0.00	18.00	6.00	6.00	6.00	6.00	6.00
	SUB112	18.00	15.00	10.00	7.00	24	24	0		24.00	24.00	0.00	22.00	22.00	22.00	22.00	22.00
		AGREED: EQUAL DECLINING				FOCAL:ROTATE (NEG)				AGREED:ROTATE(EG)				AGREED: SPLIT			
		37.50		0.00		38.00		0		38.50		0		34.00		0	
CI/DE/DP	TREAT7	PG60421		SCODE													
		B-1		12													
ACTUAL	SUB120	9.00	6.00	8.00	11.00	6.00	5.00	2.00	10.00	8.00	8.00	6.00	9.00	9.00	7.00	7.00	6.00
	SUB121	5.00	5.00	4.00	2.00	1.00	8.00	6.00	5.00	5.00	6.00	3.00	18.00	8.00	8.00	5.00	0.00
	SUB122	9.00	11.00	20.00	22.00	0.00	1.00	2.00	3.00	6.00	0.00	1.00	0.00	1.00	9.00	9.00	8.00
		23	22	32	35	7	14	10	18	19	14	10	27	18	24	21	14

PROPOSED	SUB120	9	9	9	9												
	SUB121	9	9	9	9												
	SUB122	9	9	9	9												
	FOCAL																
		28.00		6													
							NO AGREEMENT				NO AGREEMENT					NO AGREEMENT	
							12.25				17.50					19.25	
<b>TREAT8</b>	<b>PERIOD</b>	<b>7</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>16</b>	<b>17</b>	<b>18</b>	<b>19</b>	<b>20</b>	<b>21</b>	<b>22</b>
II/DE/DP	TREAT8	PG60413		SCODE													
		B-1		04													
ACTUAL	SUB043	9.00	8.00	9.00	8.00	13.00	13.00	5.00	12.00	12.00	12.00	6.00	9.00	12.00	12.00	2.00	8.00
	SUB044	4.00	3.00	2.00	5.00	13.00	5.00	13.00	10.00	11.00	9.00	8.00	2.00	12.00	2.00	12.00	2.00
	SUB045	10.00	12.00	10.00	12.00	8.00	16.00	16.00	13.00	10.00	14.00	14.00	12.00	2.00	12.00	12.00	12.00
		23	23	21	25	34	34	34	35	33	35	28	23	26	26	26	22
PROPOSED	SUB043	7-11	7-11	7-11	7-11	13	13	5		11	11	7		12.00	12.00	2.00	9.00
	SUB044	7-11	7-11	7-11	7-11	13	5	13		11	7	11		12.00	2.00	12.00	9.00
	SUB045	10-14	10-14	10-14	10-14	8	16	16		10	14	14		2.00	12.00	12.00	12.00
		AGREED:SPLIT;RANGE				AGREED:ROTATE (NEG) *				AGREED:ROTATE(NEG)*				AGREED:ROTATE(NEG)*			
		23.00		3.5		34.25		0		29.75		1.33		25.00		2	
II/DE/DP	TREAT8	PG60420		SCODE													
		B-2		11													
ACTUAL	SUB113	3.00	13.00	13.00	6.00	1.00	17.00	17.00	5.00	0.00	18.00	18.00	9.00	0.00	18.00	18.00	12.00
	SUB114	13.00	3.00	13.00	5.00	17.00	1.00	17.00	4.00	18.00	0.00	18.00	9.00	18.00	0.00	18.00	12.00
	SUB115	13.00	13.00	3.00	14.00	17.00	17.00	1.00	9.00	18.00	18.00	0.00	9.00	18.00	18.00	0.00	12.00
		29	29	29	25	35	35	35	18	36	36	36	27	36	36	36	36
PROPOSED	SUB113	3.00	13.00	13.00		1.00	17.00	17.00		0.00	18.00	18.00	9.00	0.00	18.00	18.00	12.00
	SUB114	13.00	3.00	13.00		17.00	1.00	17.00		18.00	0.00	18.00	9.00	18.00	0.00	18.00	12.00
	SUB115	13.00	13.00	3.00		17.00	17.00	1.00		18.00	18.00	0.00	9.00	18.00	18.00	0.00	12.00
		AGREED:ROTATE(NEG)*				AGREED:ROTATE(NEG) *				AGREED:ROTATE(EG)*				AGREED:ROTATE(EG)*			
		28.00		0.00		30.75		0		33.75		0		36.00		0	
II/DE/DP	TREAT8	PG60421		SCODE													
		B-2		12													
ACTUAL	SUB123	8.00	6.00	8.00	5.00	10.00	10.00	10.00	8.00	8.00	5.00	12.00	9.00	8.00	7.00	8.00	8.00
	SUB124	1.00	5.00	2.00	0.00	8.00	7.00	5.00	2.00	9.00	6.00	0.00	8.00	6.00	5.00	6.00	3.00
	SUB125	10.00	14.00	8.00	13.00	12.00	10.00	11.00	12.00	12.00	9.00	14.00	12.00	13.00	12.00	14.00	11.00
		19	25	18	18	30	27	26	22	29	20	26	29	27	24	28	22